



Magswitch Technology, Inc.
1355 Horizon Ave.
Lafayette, CO 80026
Magswitch.com.au
303-468-0662

Magswitch Mini Multi Angle w/ 300 Amp Ground


P/N: 8100351

The Magswitch line of Mini Multi Angle workholding magnets offer you more angles in one product than any other magnetic angles. If you're tired of Mini angle magnets that claim they shut off, but really don't, then you'll love Magswitch. Magswitch Mini angles are hassle free. They stay clean for years of use. Once you use Magswitch Mini Angles, you will never settle for anything less!



WARNING!
Do Not Operate Unless In
Contact With Ferrous Target

SPECIFICATIONS	
P/N: 8100351 - MAGSWITCH Mini Multi Angle w/ 300 Amp Ground	
Max Breakaway*	150 lbs/67 kg
Full Saturation Thickness	11 g / 3.05 mm
2:1 Shear Working Load*	6 lbs / 2.7 kg
Net Weight	0.9 lbs/0.4 kg
Overall Height	87 mm
Magnetic Pole Footprint	90.5 mm x 44 mm




WORKING SURFACE

Part Number 110931
Revision Date: April 26, 2018

* Max Breakaway determined in laboratory environment on 2" thick SAE1018 Steel with surface roughness 63 micro inches. Many factors contribute to the actual breakaway force in each application. Always test the magswitch in each application before deployment. Refer to the magswitch information booklet for more information.

Magswitch Mini Multi Angle w/ 300 Amp Ground Clamp Breakaway Data vs. Thickness



Part Number 110931
Revision Date: April 26, 2018

* Max Breakaway determined in laboratory environment on 2" thick SAE1018 Steel with surface roughness 63 micro inches. Many factors contribute to the actual breakaway force in each application. Always test the magswitch in each application before deployment. Refer to the magswitch information booklet for more information.

